

HT 100 S70-701-16-10179

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 1 of 9

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: HT 100

Other means of identification: \$70-701-16-10179

Recommended use of the chemical and restrictions on use

: Lubricant

Restriction on use: None known

Chemical family : Petroleum hydrocarbon.

Name, address, and telephone number

of the supplier:

Name, address, and telephone number of

the manufacturer:

Refer to supplier

Terrapure Environmental

130 Forester Street North Vancouver, BC, Canada

V7H 2M9

Supplier's Telephone # : (604) 982-2363

24 Hr. Emergency Tel # : No information available.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear amber liquid. Hydrocarbon odour.

Most important hazards: May be fatal if swallowed and enters airways.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Aspiration Toxicity - Category 1

Label elements

Hazard pictogram(s)



Signal Word

Danger.

Hazard statement(s)

May be fatal if swallowed and enters airways.



HT 100 S70-701-16-10179

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 2 of 9

SAFETY DATA SHEET

Precautionary statement(s)

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Inhalation of mist causes irritation of respiratory system. Direct eye contact may cause slight or mild, transient irritation. Prolonged skin contact may cause skin irritation. Ingestion may cause irritation of the mouth, throat and stomach.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)
Lubricating oils, refined	Lubricating oils, refined used	68476-77-7	100%

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. If

vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the

risk of aspiration. Seek immediate medical attention/advice.

Inhalation : First Aid is normally not required. If INHALED excessively remove to fresh air. Get

medical attention if irritation develops and persists.

Skin contact: Wash with plenty of water and soap. Do not use solvents. Remove and wash

contaminated clothing before re-use. If irritation or symptoms develop, seek medical

attention.

Eye contact : Flush with large amounts of water for 15 minutes. If easy to do, remove contact lens, if

worn. If irritation persists, seek prompt medical attention.

Most important symptoms and effects, both acute and delayed

: Aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. Inhalation of mists or sprays may mildly irritate the upper respiratory tract and cause coughing or sneezing. Direct eye contact may cause slight or mild, transient irritation. Ingestion may cause irritation of the mouth, throat and stomach. Prolonged skin contact may cause skin irritation.

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically. Aspiration hazard.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Dry chemical, foam, carbon dioxide and water fog.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: None known.

Flammability classification (OSHA 29 CFR 1910.106)

: Not flammable.

Hazardous combustion products

: Carbon oxides and other irritating fumes and smoke.

Special protective equipment and precautions for firefighters



HT 100 S70-701-16-10179

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 3 of 9

SAFETY DATA SHEET

Protective equipment for fire-fighters

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Normal protective clothing (bunker gear) may not be adequate. A full-body encapsulating chemical protective suit may be necessary.

Special fire-fighting procedures

: Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

Methods and material for containment and cleaning up

: Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Small Spills: Ventilate area of release. Remove all sources of ignition. Use only non-sparking tools. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).

Large Spills: For large spills on surfaces other than pavement (e.g. soil or sand), spills may be handled by digging up and removing the affected surface and placing it in approved containers. Notify the appropriate authorities as required.

Special spill response procedures

If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802). US CERCLA Reportable quantity (RQ): None.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Use in a well-ventilated area. Wear suitable protective equipment during handling. Avoid breathing fumes, mists or vapors. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks and open flames. Avoid contact with incompatible materials. Wash thoroughly after handling.

Conditions for safe storage :

Store in a cool, dry, well-ventilated area. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

Incompatible materials : Strong oxidize

: Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:					
Chemical Name	ACGIH TLV		OSHA PEL		
	<u>TWA</u>	STEL	<u>PEL</u>	<u>STEL</u>	
Lubricating oils, refined	N/Av	N/Av	N/Av	N/Av	

Exposure controls



HT 100 S70-701-16-10179

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 4 of 9

SAFETY DATA SHEET

Ventilation and engineering measures

: Use in a well-ventilated area. General mechanical ventilation and local exhaust is

recommended for use with this product.

Respiratory protection: Not required under normal conditions of handling. Respiratory protection is required if

the concentrations exceed the TLV. NIOSH-approved respirators are recommended.

Advice should be sought from respiratory protection specialists.

Skin protection: Not required under normal conditions of handling. For prolonged skin exposure, gloves

impervious to the material are recommended. Advice should be sought from glove

suppliers.

Eye / face protection : Safety glasses with side shields should be used with this product. Chemical goggles

are recommended when there is a potential for splashing. Do not wear contact

lenses

Other protective equipment : An eyewash station and safety shower should be made available in the immediate

working area. Other equipment may be required depending on workplace standards.

General hygiene considerations

: Avoid breathing mist or vapor. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it

thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear amber liquid.

Odour : Hydrocarbon odour.

Odour threshold : N/Av pH : N/Ap

Melting Point/Freezing point : Pour point -18 °C

Initial boiling point and boiling range

: > 300°C

Flash point : > 190°C

Flashpoint (Method) : Cleveland Open Cup

Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

: N/Av

Upper flammable limit (% by vol.)

: N/Av

Oxidizing properties : Not known.

Explosive properties : N/Av

Vapour pressure : N/Av

Vapour density : > 1

Relative density / Specific gravity

: 0.846 @ 15.6°C

Solubility in water : Insoluble.

Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

Auto-ignition temperature : N/Av Decomposition temperature : N/Av

Viscosity : 18.9 cSt @ 40°C

Volatiles (% by weight) : <0.5g/L Volatile organic Compounds (VOC's) : N/Av



HT 100 S70-701-16-10179

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 5 of 9

SAFETY DATA SHEET

Absolute pressure of container

: N/Ap

Flame projection length : N/Ap Other physical/chemical comments

: None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not normally reactive.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid : Avoid heat and open flame. Keep away from direct sunlight. Do not use in areas

without adequate ventilation. Avoid contact with incompatible materials.

Incompatible materials : See Section 7 (Handling and Storage) for further details.

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

 $\begin{tabular}{lll} \textbf{Routes of entry inhalation} & : & YES \\ \textbf{Routes of entry skin \& eye} & : & YES \\ \textbf{Routes of entry Ingestion} & : & YES \\ \textbf{Routes of exposure skin absorption} \\ \end{tabular}$

: YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

Inhalation of fumes or mists may cause irritation to the nose, throat and upper

respiratory tract.

Sign and symptoms ingestion

: Aspiration hazard. May be fatal if swallowed and enters airways. May cause irritation

of mouth, throat, and stomach. May cause nausea, stomach pain and vomiting.

Sign and symptoms skin : May cause skin irritation. Prolonged contact, such as when trapped against the skin

under clothing or jewelry, may be more irritating.

Sign and symptoms eyes : Direct eye contact may cause slight or mild, transient irritation.

Potential Chronic Health Effects

Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching

skin.

Mutagenicity : Not expected to be mutagenic in humans.

Carcinogenicity : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: Not expected to have other reproductive effects.


Sensitization to material: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects: Not classified as a specific target organ toxicity - repeated exposure. Not classified as

a specific target organ toxicity-single exposure.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.





HT 100 S70-701-16-10179

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 6 of 9

SAFETY DATA SHEET

Synergistic materials : None known or reported by the manufacturer.
 Toxicological data : See below for toxicological data on the substance.

	LC₅₀(4hr)	LD:	D		
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)		
Lubricating oils, refined	N/Av	N/Av	N/Av		

Other important toxicological hazards

: See Section 2 for additional information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Ecotoxicity data:

lu anno di o neto	040 N	Toxicity to Fish				
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
Lubricating oils, refined	68476-77-7	N/Av	N/Av	None.		

<u>Ingredients</u>	CAS No	Тох	xicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor	
Lubricating oils, refined	68476-77-7	N/Av	N/Av	None.	

<u>Ingredients</u>	CAS No	Toxicity to Algae				
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
Lubricating oils, refined	68476-77-7	N/Av	N/Av	None.		

Persistence and degradability

: Not expected to be rapidly biodegradable.

Bioaccumulation potential: No data is available on the product itself.

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Lubricating oils, refined (CAS 68476-77-7)	N/Av	N/Av

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.



S70-701-16-10179 HT 100

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 7 of 9

SAFETY DATA SHEET

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

Handle waste according to recommendations in Section 7. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on or near this container.

Methods of Disposal

Dispose of in accordance with federal, provincial and local hazardous waste laws.

RCRA

Under the RCRA, it is the responsibility of the waste generator to determine the proper waste identification and disposal method.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	None.	Not regulated.	Not regulated	none	\otimes
TDG Additional information	None.	!			
49CFR/DOT	None.	Not regulated.	not regulated	none	
49CFR/DOT Additional information	None.	!			
ICAO/IATA	None.	Not regulated.	not regulated	none	\otimes
ICAO/IATA Additional information	None.	!			
IMDG	None.	Not regulated.	not regulated	none	\otimes
IMDG Additional information	None.	!	!		

Special precautions for user: Keep away from heat, sparks and open flame - No smoking.

Environmental hazards

: This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: No information available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:



terrapure terrapure

Terrapure Environmental 130 Forester Street North Vancouver, BC, Canada, V7H 2M9 Telephone: (604) 982 2363

HT 100 S70-701-16-10179

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 8 of 9

SAFETY DATA SHEET

Ingredients CAS #		TSCA CERCL Reportal		SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
	CAS#	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
Lubricating oils, refined	68476-77-7	Yes	N/Ap	N/Av	No	N/Ap	

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Health hazards (Aspiration hazard). Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS#	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Lubricating oils, refined	68476-77-7	No	N/Ap	No	No	No	No	No	No

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS Classification: See Section 2.

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Lubricating oils, refined	68476-77-7	270-697-6	Present	Not listed	Not listed	Not listed	Present	Not listed

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations DOT: Department of Transportation EPA: Environmental Protection Agency

EST: Eastern Standard Time

HMIS: Hazardous Materials Identification System

HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

LC: Lethal Concentration LD: Lethal Dose

LD: Lethal Dose N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health



HT 100 S70-701-16-10179

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 9 of 9

SAFETY DATA SHEET

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit TLV: Threshold Limit Values TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

References : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents &

Biological Exposure Indices for 2018.2. International Agency for Research on Cancer Monographs, searched 2019.3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2019 (Chempendium, HSDB and RTECs).4. Safety Data Sheets from manufacturer.5. US EPA Title III List of Lists -2019 version.6. California Proposition 65 List - 2019 version.7. OECD - The Global Portal to Information on

Chemical Substances - eChemPortal, 2019.

Preparation Date (mm/dd/yyyy)

: 08/07/2016

Reviewed Date SDS (dd/mm/yyyy)

: 10/09/2019

Revision No. : 2

Revision Information : (M)SDS sections updated 2. HAZARDS IDENTIFICATION 4.FIRST AID MEASURES 5. FIRE-

FIGHTING MEASURES 15. REGULATORY INFORMATION16. Other information

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

Prepared for:

Terrapure Environmental 130 Forster Street

North Vancouver, BC V7H 2M9 Telephone: 604-982-2363 http://www.terrapureenv.com/



Prepared by:

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Terrapure Environmental and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Terrapure Environmental expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Terrapure Environmental.

END OF DOCUMENT