

terrapure terrapure

Terrapure Environmental 130 Forester Street North Vancouver, BC, Canada, V7H 2M9 Telephone: (604) 982-2363

**HT 150** S70-702-16-10180

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 1 of 9

## SAFETY DATA SHEET

## **SECTION 1. IDENTIFICATION**

Product identifier used on the label

: HT 150

Other means of identification: \$70-702-16-10180

Recommended use of the chemical and restrictions on use

: Lubricant

Restriction on use: None known

Chemical family : Petroleum hydrocarbon.

Name, address, and telephone number

of the supplier:

Name, address, and telephone number of

the manufacturer:

Refer to supplier

**Terrapure Environmental** 

130 Forester Street North Vancouver, BC, Canada

V7H 2M9

Supplier's Telephone # : (604) 982-2363

24 Hr. Emergency Tel # : No information available.

### SECTION 2. HAZARDS IDENTIFICATION

### Classification of the chemical

Clear amber liquid. Hydrocarbon odour.

This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

### Label elements

Hazard pictogram(s)

None required under U.S. OSHA Hazcom 2012 and Canadian WHMIS 2015 regulations.

Signal Word

Not applicable.

Hazard statement(s)

None required under OSHA HazCom2012 and 2015 Canadian WHMIS regulations.

Precautionary statement(s)

None required under OSHA HazCom2012 and 2015 Canadian WHMIS regulations.

#### Other hazards

Inhalation of mists or sprays may mildly irritate the upper respiratory tract and cause coughing or sneezing. Prolonged skin contact may cause skin irritation. Direct eye contact may cause slight or mild, transient irritation. Ingestion may cause irritation of the mouth, throat and stomach. May be an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)	
Lubricating oils, refined	Lubricating oils, refined used	68476-77-7	100%	



Telephone: (604) 982-2363

HT 150 S70-702-16-10180

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 2 of 9

## SAFETY DATA SHEET

## SECTION 4. FIRST-AID MEASURES

# Description of first aid measures

Inaestion

: First Aid is normally not required. Do not induce vomiting. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. If irritation or symptoms develop, seek medical attention.

Inhalation First Aid is normally not required. If INHALED excessively remove to fresh air. Get

medical attention if irritation develops and persists.

: Wash with plenty of water and soap. Do not use solvents. Remove and wash Skin contact

contaminated clothing before re-use. If irritation or symptoms develop, seek medical

Flush with large amounts of water for 15 minutes. If easy to do, remove contact lens, if Eye contact

worn. If irritation persists, seek prompt medical attention.

## Most important symptoms and effects, both acute and delayed

: If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and respiratory tract. Prolonged skin contact may cause skin irritation. Direct eye contact may cause slight or mild, transient irritation. Ingestion may cause irritation of the mouth, throat and stomach. May be an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis. which can be fatal.

### Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

Suitable extinguishing media

: Dry chemical, foam, carbon dioxide and water fog.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread the fire.

### Special hazards arising from the substance or mixture / Conditions of flammability

: None known.

## Flammability classification (OSHA 29 CFR 1910.106)

: Not flammable.

### **Hazardous combustion products**

: Carbon oxides and other irritating fumes and smoke.

# Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### Special fire-fighting procedures

: Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

: All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.



Telephone: (604) 982-2363

HT 150 S70-702-16-10180

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 3 of 9

## SAFETY DATA SHEET

**Environmental precautions** 

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

For large spills, dike the area to prevent spreading.

# Methods and material for containment and cleaning up

: Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Small Spills: Ventilate area of release. Remove all sources of ignition. Use only non-sparking tools. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).

Large Spills: For large spills on surfaces other than pavement (e.g. soil or sand), spills may be handled by digging up and removing the affected surface and placing it in approved containers. Notify the appropriate authorities as required.

### Special spill response procedures

: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802). US CERCLA Reportable quantity (RQ): None.

## SECTION 7. HANDLING AND STORAGE

### Precautions for safe handling

: Use in a well-ventilated area. Wear suitable protective equipment during handling. Avoid breathing fumes, mists or vapors. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks and open flames. Avoid contact with incompatible materials. Wash thoroughly after handling.

Conditions for safe storage :

Store in a cool, dry, well-ventilated area. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect

periodically for damage or leaks. No smoking in the area.

Incompatible materials

: Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:					
Chemical Name	ACGIH TLV		OSHA PEL		
	<u>TWA</u>	STEL	<u>PEL</u>	<u>STEL</u>	
Lubricating oils, refined	N/Av	N/Av	N/Av	N/Av	

# **Exposure controls**

## Ventilation and engineering measures

: Use in a well-ventilated area. General mechanical ventilation and local exhaust is recommended for use with this product.

**Respiratory protection** 

Not required under normal conditions of handling. Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Advice should be sought from respiratory protection specialists.

Skin protection

: Not required under normal conditions of handling. For prolonged skin exposure, gloves impervious to the material are recommended. Advice should be sought from glove

Eye / face protection

: Safety glasses with side shields should be used with this product. Chemical goggles are recommended when there is a potential for splashing. Do not wear contact

Other protective equipment:

An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

General hygiene considerations



Terrapure Environmental 130 Forester Street North Vancouver, BC, Canada, V7H 2M9 Telephone: (604) 982-2363

**HT 150** S70-702-16-10180

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 4 of 9

## SAFETY DATA SHEET

Avoid breathing mist or vapor. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear amber liquid.Odour: Hydrocarbon odour.

Odour threshold : N/Av pH : N/Ap

Melting Point/Freezing point : -12°CPour point

Initial boiling point and boiling range

: > 300°C

Flash point : > 200°C

Flashpoint (Method) : Cleveland Open Cup

Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

N/Av

Upper flammable limit (% by vol.)

: N/Av

Oxidizing properties : Not known.

Explosive properties : N/Av

Vapour pressure : N/Av

Vapour density : > 1

Relative density / Specific gravity

: 0.850 @ 15.6°C

Solubility in water : Insoluble.

Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

**Viscosity** : 27.5 cSt @ 40°C

Volatiles (% by weight) : < 0.5 g/L Volatile organic Compounds (VOC's)

: N/Av

Absolute pressure of container

: N/Ap

Flame projection length : N/Ap Other physical/chemical comments

: None known or reported by the manufacturer.

# SECTION 10. STABILITY AND REACTIVITY

**Reactivity**: Not normally reactive.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid : Avoid heat and open flame. Keep away from direct sunlight. Do not use in areas

without adequate ventilation. Avoid contact with incompatible materials.



terrapure terrapure

Terrapure Environmental 130 Forester Street North Vancouver, BC, Canada, V7H 2M9 Telephone: (604) 982-2363

HT 150 S70-702-16-10180

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 5 of 9

## SAFETY DATA SHEET

Incompatible materials : See Section 7 (Handling and Storage) for further details.

**Hazardous decomposition products** 

: None known, refer to hazardous combustion products in Section 5.

### SECTION 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption

: YES

### **Potential Health Effects:**

## Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

Inhalation of fumes or mists may cause irritation to the nose, throat and upper

respiratory tract.

Sign and symptoms ingestion

: May cause irritation of mouth, throat, and stomach. May cause nausea, stomach pain and vomiting. Product may present an aspiration hazard, if ingested in large amounts,

causing life-threatening lung injury.

Sign and symptoms skin : May cause skin irritation. Prolonged contact, such as when trapped against the skin

under clothing or jewelry, may be more irritating.

Sign and symptoms eyes : Direct eye contact may cause slight or mild, transient irritation.

**Potential Chronic Health Effects** 

: Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching

skin.

**Mutagenicity** : Not expected to be mutagenic in humans.

Carcinogenicity : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: Not expected to have other reproductive effects.

Sensitization to material

Not expected to be a skin or respiratory sensitizer.

Specific target organ effects: This material is not classified as hazardous under U.S. OSHA regulations (29CFR

1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products

Regulations) (WHMIS 2015).

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

**Synergistic materials**: None known or reported by the manufacturer.

**Toxicological data** : See below for toxicological data on the substance.

	LC50(4hr)	LDs	0	
Chemical name	<u>inh, rat</u>	(Oral, rat)	(Rabbit, dermal)	
Lubricating oils, refined	N/Av	N/Av	N/Av	

## Other important toxicological hazards

: See Section 2 for additional information.



Telephone: (604) 982-2363

HT 150 S70-702-16-10180

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 6 of 9

# SAFETY DATA SHEET

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

### Ecotoxicity data:

Ingradianta	040 N-	Toxicity to Fish				
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
Lubricating oils, refined	68476-77-7	N/Av	N/Av	None.		

<u>Ingredients</u>	CAS No	Тох		
		EC50 / 48h	NOEC / 21 day	M Factor
Lubricating oils, refined	68476-77-7	N/Av	N/Av	None.

<u>Ingredients</u>	CAS No	То			
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor	
Lubricating oils, refined	68476-77-7	N/Av	N/Av	None.	

### Persistence and degradability

: Not expected to be rapidly biodegradable.

**Bioaccumulation potential** : No data is available on the product itself.

Components	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Lubricating oils, refined (CAS 68476-77-7)	N/Av	N/Av

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

## SECTION 13. DISPOSAL CONSIDERATIONS

**Handling for Disposal** 

: Handle waste according to recommendations in Section 7. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on or near this container.

**Methods of Disposal** 

**RCRA** 

: Dispose of in accordance with federal, provincial and local hazardous waste laws.

Under the RCRA, it is the responsibility of the waste generator to determine the proper waste identification and disposal method.



**HT 150** S70-702-16-10180

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 7 of 9

# SAFETY DATA SHEET

# SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	None.	Not regulated.	not regulated	none	$\otimes$
49CFR/DOT Additional information	None.	!	!		
ICAO/IATA	None.	Not regulated.	not regulated	none	$\otimes$
ICAO/IATA Additional information	None.	!	!		
IMDG	None.	Not regulated.	not regulated	none	$\otimes$
IMDG Additional information	None.	!			
TDG	None.	Not regulated.	not regulated	none	$\otimes$
TDG Additional information	None.	!	ļ į	ļ.	

Special precautions for user: Keep away from heat, sparks and open flame - No smoking.

**Environmental hazards** : This product does not meet the criteria for an environmentally hazardous mixture,

according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: No information available.

# SECTION 15 - REGULATORY INFORMATION

# **US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

	TSCA		CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
<u>Ingredients</u> CA	CAS#	# Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
Lubricating oils, refined	68476-77-7	Yes	N/Ap	N/Av	No	N/Ap	

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: None.



Telephone: (604) 982-2363

HT 150 S70-702-16-10180

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 8 of 9

## SAFETY DATA SHEET

## **US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:

Ingredients	CAS#	California Proposition 65		State "Right to Know" Lists					
<u>g</u>		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Lubricating oils, refined	68476-77-7	No	N/Ap	No	No	No	No	No	No

# **Canadian Information:**

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

## **International Information:**

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC	
Lubricating oils, refined	68476-77-7	270-697-6	Present	Not listed	Not listed	Not listed	Present	Not listed	

## SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations **DOT: Department of Transportation** EPA: Environmental Protection Agency

EST: Eastern Standard Time

HMIS: Hazardous Materials Identification System

HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

LC: Lethal Concentration

LD: Lethal Dose N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit TLV: Threshold Limit Values TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System



Terrapure Environmental 130 Forester Street North Vancouver, BC, Canada, V7H 2M9 Telephone: (604) 982-2363

**HT 150** S70-702-16-10180

SDS Revision Date (mm/dd/yyyy): 09/10/2019

Page 9 of 9

## SAFETY DATA SHEET

References : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents &

Biological Exposure Indices for 2018

2. International Agency for Research on Cancer Monographs, searched 2019

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases,

2019(Chempendium, HSDB and RTECs).

4. Material Safety Data Sheets from manufacturer.

5. US EPA Title III List of Lists - 2019 version.

6. California Proposition 65 List - 2019 version.

7. OECD - The Global Portal to Information on Chemical Substances -

eChemPortal,2019.

Preparation Date (mm/dd/yyyy)

: 08/07/2016

Reviewed Date SDS (dd/mm/yyyy)

: 10/09/2019

Revision No. : 2

Revision Information : (M)SDS sections updated 1. IDENTIFICATION 5. FIRE-FIGHTING MEASURES 16.

Other information

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

### Prepared for:

Terrapure Environmental 130 Forester Street

North Vancouver, BC V7H 2M9 Telephone: 604-982-2363 http://www.terrapureenv.com/



## **Prepared by:**

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



## **DISCLAIMER**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Terrapure Environmental and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Terrapure Environmental expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Terrapure Environmental.

## END OF DOCUMENT